


BULON EXAG. GRADO 2 UNC ZINCADO

HOJA 1A

DIAMETRO		3/16"	1/4"	5/16"	3/8"	7/16"	1/2" BSW	9/16"	5/8"	3/4"	7/8"	1"
Hilos por pulgada		24 - Nº10	20 - UNC	18 - UNC	16 - UNC	14 - UNC	12 - BSW	12 - UNC	11 - UNC	10 - UNC	9 - UNC	8 - UNC
Cabeza	Llave	5/16"	7/16"	1/2"	9/16"	5/8"	3/4"	13/16"	15/16"	1.1/8"	1.5/16"	1.1/2"
	Altura	3,05	4,14	5,36	6,17	7,39	8,20	9,42	10,24	12,27	14,30	15,93
1/2"		22,135 101.5.12 500 6.000	29,379 101.6.12 500 4.000	48,597 101.8.12 500 3.000	73,348 101.9.12 200 1.600							
5/8"		24,047 101.5.16 500 6.000	33,907 101.6.16 500 4.000	54,231 101.8.16 500 2.500	81,900 101.9.16 200 1.600							
3/4"		27,669 101.5.19 500 6.000	37,227 101.6.19 500 4.000	59,262 101.8.19 200 2.400	90,351 101.9.19 200 1.600		189,46 101.12.19 200 800					
7/8"		31,392 101.5.22 500 6.000	39,541 101.6.22 500 4.000	64,896 101.8.22 200 2.400	85,916 1.9.22 #N/A 1.600							
1"		55,438 101.5.50 200 2.400	42,862 101.6.25 500 3.000	70,530 101.8.25 200 1.600	104,44 101.9.25 200 1.200	146,80 101.11.25 200 800	214,51 101.12.25 100 800	282,22 101.14.25 100 600	378,21 101.16.25 100 400			
1.1/4"		38,837 101.5.32 500 4.000	47,993 101.6.32 200 2.400	81,799 101.8.32 200 1.600	121,34 101.9.32 200 1.200	166,52 101.11.32 200 800	237,05 101.12.32 100 500	310,50 101.14.32 100 400	429,02 101.16.32 100 400	666,07 101.19.32 50 200		
1.1/2"		46,182 101.5.38 500 4.000	56,444 101.6.38 200 1.600	90,351 101.8.38 200 1.600	135,43 101.9.38 200 1.000	186,24 101.11.38 100 600	265,32 101.12.38 100 500	350,04 101.14.38 100 400	468,56 101.16.38 50 300	745,15 101.19.38 50 200		
1.3/4"		50,810 101.5.44 200 2.400	62,079 101.6.44 200 1.600	101,62 101.8.44 200 1.200	152,43 101.9.44 200 800	208,87 101.11.44 100 600	293,49 101.12.44 100 500	383,84 101.14.44 50 300	496,73 101.16.44 50 250	801,59 101.19.44 50 200		
2"		55,438 101.5.50 200 2.400	70,530 101.6.50 200 1.600	112,89 101.8.50 200 1.200	166,52 101.9.50 200 800	231,4 101.11.50 100 400	316,13 101.12.50 100 400	417,75 101.14.50 50 300	564,55 101.16.50 50 250	846,77 101.19.50 20 160	1.270,0 101.22.50 20 120	1.750,0 101.25.50 20 80
2.1/4"			84,717 101.6.56 200 1.200	138,34 101.8.56 200 800	203,2 101.9.56 100 600	265,32 101.11.56 100 600	372,57 101.12.56 50 300	468,56 101.14.56 50 300	632,26 101.16.56 50 200	959,66 101.19.56 20 120	1.383,0 101.22.56 20 80	
2.1/2"			93,169 101.6.63 200 1.200	152,43 101.8.63 100 800	220,1 101.9.63 100 600	293,49 101.11.63 100 400	406,48 101.12.63 50 300	519,37 101.14.63 50 200	677,43 101.16.63 50 200	1.044,4 101.19.63 20 120	1.467,7 101.22.63 20 80	2.046,3 101.25.63 20 80
2.3/4"			101,62 101.6.70 100 800	163,70 101.8.70 100 600	237,0 101.9.70 100 400	327,40 101.11.70 100 400	440,29 101.12.70 50 300	575,8 101.14.70 50 200	745,15 101.16.70 50 200	1.100,8 101.19.70 20 120	1.552,4 101.22.70 20 80	2.145,1 101.25.70 20 80
3"			112,89 101.6.76 100 800	180,10 101.8.76 100 600	259,7 101.9.76 100 400	350,0 101.11.76 100 400	474,19 101.12.76 50 200	620,99 101.14.76 50 200	762,05 101.16.76 20 160	1.185,4 101.19.76 20 120	1.665,3 101.22.76 20 80	2.258,0 101.25.76 10 60
3.1/4"			118,52 101.6.82 100 600	203,24 101.8.82 100 400	282,2 101.9.82 100 400	372,57 101.11.82 50 300	519,37 101.12.82 50 200	677,43 101.14.82 50 200	818,50 101.16.82 20 160	1.270,2 101.19.82 20 80	1.778,2 101.22.82 20 80	2.483,8 101.25.82 10 60
3.1/2"			124,16 101.6.90 100 600	203,2 101.8.90 100 400	293,5 101.9.90 100 400	395,11 101.11.90 50 300	541,9 101.12.90 50 200	699,97 101.14.90 50 200	903,21 101.16.90 20 160	1.354,8 101.19.90 20 80	1.919,3 101.22.90 20 80	2.590,8 101.25.90 10 40
4"			141,16 101.6.100 100 600	231,4 101.8.100 100 400	333,03 101.9.100 100 400	451,56 101.11.100 50 300	620,99 101.12.100 50 200	790,32 101.14.100 50 200	987,83 101.16.100 20 120	1.495,9 101.19.100 20 80	2.088,6 101.22.100 20 80	2.822,5 101.25.100 10 40
4.1/2"				259,7 101.8.110 100 400	361,3 101.9.110 50 400	508,00 101.11.110 50 200	688,70 101.12.110 50 200	880,57 101.14.110 50 200	1.100,8 101.16.110 20 120	1.665,3 101.19.110 20 80	2.258,0 101.22.110 10 60	3.048,3 101.25.110 10 40
5"				282,2 101.8.125 100 400	406,48 101.9.125 50 300	553,2 101.11.125 50 200	756,42 101.12.125 50 200	970,93 101.14.125 25 150	1.213,7 101.16.125 20 120	1.806,4 101.19.125 20 80	2.540,2 101.22.125 10 60	3.387,0 101.25.125 10 40
5.1/2"				304,86 101.8.140 100 400	451,56 101.9.140 50 300	609,6 101.11.140 50 200	835,50 101.12.140 50 200	1.038,6 101.14.140 25 150	1.326,6 101.16.140 20 120	1.975,8 101.19.140 20 80	2.766,1 101.22.140 10 60	3.612,9 101.25.140 10 40
6"				333,03 101.8.155 100 400	485,46 101.9.155 50 200	654,80 101.11.155 50 200	903,21 101.12.155 50 200	1.151,6 101.14.155 25 100	1.411,2 101.16.155 20 120	2.145,1 101.19.155 20 80	2.991,9 101.22.155 10 40	3.951,5 101.25.155 10 40
7"							1.038,6 101.12.175 25 100		1.637,1 101.16.175 20 80	2.427,3 101.19.175 10 60	3.387,0 101.22.175 10 40	4.516,0 101.25.175 10 40
8"							1.174,2 101.12.200 25 100		1.834,6 101.16.200 20 80	2.766,1 101.19.200 10 40	3.782,2 101.22.200 10 40	5.080,5 101.25.200 10 20
9"									2.032,2 101.16.225 20 80	2.977,8 101.19.225 10 40	4.265,3 101.22.225 10 40	5.645,1 101.25.225 10 20
10"									2.291,9 101.16.250 20 60	3.373,5 101.19.250 10 40	4.679,7 101.22.250 10 30	6.114,1 101.25.250 10 20


BULON C. REDONDA C/CUADRADO GRADO 2 UNC ZINCADO
HOJA 1B

DIÁMETRO Hilos por pulgada	3/16" 24 - Nº10	1/4" 20 - UNC	5/16" 18 - UNC	3/8" 16 - UNC	7/16" 14 - UNC	1/2"BSW 12 - BSW	5/8" 11 - UNC
3/4"	31,737 102.5.19 2Z 500	39,823 102.6.19 2Z 500	64,687 102.8.19 2Z 200				
1"	35,881 102.5.25 2Z 500	41,440 102.6.25 2Z 500	82,375 102.8.25 2Z 200	107,74 102.9.25 2Z 100			
1.1/4"	42,350 102.5.32 2Z 500	50,638 102.6.32 2Z 500	81,870 102.8.32 2Z 200	129,27 102.9.32 2Z 100	186,38 102.11.32 2Z 100	240,76 102.12.32 2Z 50	
1.1/2"	48,515 102.5.38 2Z 500	63,070 102.6.38 2Z 200	92,078 102.8.38 2Z 200	145,44 102.9.38 2Z 100	211,14 102.11.38 2Z 100	275,32 102.12.38 2Z 50	
1.3/4"	52,053 102.5.44 2Z 500	61,958 102.6.44 2Z 200	105,02 102.8.44 2Z 200	163,74 102.9.44 2Z 100		300,59 102.12.44 2Z 50	
2"	63,474 102.5.50 2Z 500	70,044 102.6.50 2Z 200	115,83 102.8.50 2Z 200	183,15 102.9.50 2Z 100	251,57 102.11.50 2Z 100	322,12 102.12.50 2Z 50	544,08 102.16.50 2Z 20
2.1/4"		76,007 102.6.56 2Z 200	123,92 102.8.56 2Z 200	180,52 102.9.56 2Z 100		362,05 102.12.56 2Z 50	585,62 102.16.56 2Z 20
2.1/2"		80,859 102.6.63 2Z 200	137,36 102.8.63 2Z 200	204,67 102.9.63 2Z 100	290,38 102.11.63 2Z 50	386,81 102.12.63 2Z 50	646,47 102.16.63 2Z 20
2.3/4"		88,338 102.6.70 2Z 200	145,44 102.8.70 2Z 100	214,98 102.9.70 2Z 100		408,34 102.12.70 2Z 50	694,98 102.16.70 2Z 20
3"		91,573 102.6.76 2Z 200	156,26 102.8.76 2Z 100	231,66 102.9.76 2Z 100	329,20 102.11.76 2Z 50	429,87 102.12.76 2Z 50	738,04 102.16.76 2Z 20
3.1/4"		98,041 102.6.82 2Z 200	166,97 102.8.82 2Z 100	251,07 102.9.82 2Z 100		429,87 102.12.82 2Z 50	783,82 102.16.82 2Z 20
3.1/2"		105,62 102.6.90 2Z 100	172,43 102.8.90 2Z 100	258,55 102.9.90 2Z 100	363,06 102.11.90 2Z 50	494,55 102.12.90 2Z 50	791,91 102.16.90 2Z 20
4"		118,56 102.6.100 2Z 100	193,96 102.8.100 2Z 100	289,88 102.9.100 2Z 50	411,57 102.11.100 2Z 50	555,40 102.12.100 2Z 50	888,94 102.16.100 2Z 20
4.1/2"		129,27 102.6.110 2Z 100	215,49 102.8.110 2Z 100	318,89 102.9.110 2Z 50	453,62 102.11.110 2Z 50	591,48 102.12.110 2Z 25	975,06 102.16.110 2Z 20
5"		142,7 102.6.125 2Z 100	237,02 102.8.125 2Z 100	350,73 102.9.125 2Z 50	484,34 102.11.125 2Z 50	646,47 102.12.125 2Z 25	1.061 102.16.125 2Z 20
5.1/2"			254,81 102.8.140 2Z 100	374,98 102.9.140 2Z 50	544,69 102.11.140 2Z 50	704,68 102.12.140 2Z 25	1.149 102.16.140 2Z 20
6"			274,72 102.8.155 2Z 100	408,34 102.9.155 2Z 50	587,74 102.11.155 2Z 50	760,68 102.12.155 2Z 25	1.234 102.16.155 2Z 20
7"			307,57 102.8.175 2Z 50	462,21 102.9.175 2Z 50	672,54 102.11.175 2Z 50	860,84 102.12.175 2Z 25	1.385 102.16.175 2Z 40
8"			350,73 102.8.200 2Z 50	516,08 102.9.200 2Z 50	767,05 102.11.200 2Z 25	969,70 102.12.200 2Z 25	1.600 102.16.200 2Z 10
9"			394,39 102.8.225 2Z 50	587,24 102.9.225 2Z 25		1.070 102.12.225 2Z 25	1.741 102.16.225 2Z 10
10"			438,56 102.8.250 2Z 50	646,47 102.9.250 2Z 50		1.182 102.12.250 2Z 20	1.914 102.16.250 2Z 20
11"				706 102.9.275 2Z 50		1.286 102.12.275 2Z 20	3.128 102.16.275 2Z 20
12"				760 102.9.300 2Z 50		1.394 102.12.300 2Z 50	3.372 102.16.300 2Z 25


BULON EXAGONAL GRADO 2 UNC PULIDO

DIAMETRO	3/16"	1/4"	5/16"	3/8"	7/16"	1/2" BSW	9/16"	5/8"	3/4"	7/8"	1"
Hilos por pulgada	24 - Nº10	20 - UNC	18 - UNC	16 - UNC	14 - UNC	12 - BSW	12 - UNC	11 - UNC	10 - UNC	9 - UNC	8 - UNC
Cabeza	Llave	Altura	Altura	Altura	Altura	Altura	Altura	Altura	Altura	Altura	Altura
	5/16"	7/16"	1/2"	9/16"	5/8"	3/4"	13/16"	15/16"	1.1/8"	1.5/16"	1.1/2"
	3,05	4,14	5,36	6,17	7,39	8,20	9,42	10,24	12,27	14,30	15,93
1/2"	19,248 1.5.12 500 6.000	25,547 1.6.12 500 4.000	42,258 1.8.12 500 3.000	63,781 1.9.12 200 1.600							
5/8"	20,910 1.5.16 500 6.000	29,484 1.6.16 500 4.000	47,157 1.8.16 500 2.500	71,217 1.9.16 200 1.600							
3/4"	24,060 1.5.19 500 6.000	32,371 1.6.19 500 4.000	51,532 1.8.19 200 2.400	78,566 1.9.19 200 1.600		164,74 1.12.19 200 800					
7/8"	27,297 1.5.22 500 6.000	34,384 1.6.22 500 4.000	56,431 1.8.22 200 2.400	85,916 1.9.22 200 1.600							
1"	28,959 1.5.25 500 4.000	37,271 1.6.25 500 3.000	61,331 1.8.25 200 1.600	90,815 1.9.25 200 1.200	127,65 1.11.25 200 800	186,53 1.12.25 100 800	245,41 1.14.25 100 600	328,9 1.16.25 100 400			
1.1/4"	33,771 1.5.32 500 4.000	41,733 1.6.32 200 2.400	71,130 1.8.32 200 1.600	105,51 1.9.32 200 1.200	144,80 1.11.32 800 200	206,13 1.12.32 100 500	270,00 1.14.32 100 400	373,06 1.16.32 100 400	579,19 1.19.32 50 200		
1.1/2"	40,158 1.5.38 500 4.000	49,082 1.6.38 200 1.600	78,566 1.8.38 200 1.600	117,76 1.9.38 200 1.000	161,94 1.11.38 100 600	230,71 1.12.38 100 500	304,38 1.14.38 100 400	407,44 1.16.38 50 300	647,95 1.19.38 50 200		
1.3/4"	44,183 1.5.44 200 2.400	53,982 1.6.44 200 1.600	88,365 1.8.44 200 1.200	132,55 1.9.44 200 800	181,63 1.11.44 100 600	255,21 1.12.44 100 500	333,8 1.14.44 50 300	431,94 1.16.44 50 250	697,04 1.19.44 50 200		
2"	48,207 1.5.50 200 2.400	61,331 1.6.50 200 1.600	98,164 1.8.50 200 1.200	144,80 1.9.50 200 800	201,23 1.11.50 100 400	274,90 1.12.50 100 400	363,26 1.14.50 50 300	490,91 1.16.50 50 250	736,32 1.19.50 20 160	1.104,3 1.22.50 20 120	1.521,7 1.25.50 20 80
2.1/4"		73,667 1.6.56 200 1.200	120,30 1.8.56 200 800	176,73 1.9.56 100 600	230,71 1.11.56 100 600	324,0 1.12.56 50 300	407,44 1.14.56 50 300	549,79 1.16.56 50 200	834,48 1.19.56 20 120	1.202,6 1.22.56 20 80	
2.1/2"		81,016 1.6.63 200 1.200	132,55 1.8.63 100 800	191,43 1.9.63 100 600	255,21 1.11.63 100 400	353,46 1.12.63 50 300	451,63 1.14.63 50 200	589,07 1.16.63 50 200	908,15 1.19.63 20 120	1.276,2 1.22.63 20 80	1.779,4 1.25.63 20 80
2.3/4"		88,365 1.6.70 100 800	142,35 1.8.70 100 600	206,13 1.9.70 100 400	284,69 1.11.70 100 400	382,86 1.12.70 50 300	500,71 1.14.70 50 200	647,95 1.16.70 50 200	957,23 1.19.70 20 120	1.349,9 1.22.70 20 80	1.865,3 1.25.70 20 80
3"		98,164 1.6.76 100 800	156,61 1.8.76 100 600	225,8 1.9.76 100 400	304,4 1.11.76 100 400	412,34 1.12.76 50 200	539,99 1.14.76 50 200	662,65 1.16.76 20 160	1.030,8 1.19.76 20 120	1.448,1 1.22.76 20 80	1.963,5 1.25.76 10 60
3.1/4"		103,06 1.6.82 100 600	176,73 1.8.82 100 400	245,4 1.9.82 100 400	323,98 1.11.82 50 300	451,63 1.12.82 50 200	589,07 1.14.82 50 200	711,74 1.16.82 20 160	1.104,5 1.19.82 20 80	1.546,2 1.22.82 20 80	2.159,8 1.25.82 10 60
3.1/2"		107,96 1.6.90 100 600	176,73 1.8.90 100 400	255,2 1.9.90 100 400	343,58 1.11.90 50 300	471,22 1.12.90 50 200	608,67 1.14.90 50 200	785,40 1.16.90 20 160	1.178,1 1.19.90 20 80	1.669,0 1.22.90 20 80	2.252,9 1.25.90 10 40
4"		122,75 1.6.100 100 600	201,2 1.8.100 100 400	289,59 1.9.100 100 400	392,66 1.11.100 50 300	539,99 1.12.100 50 200	687,24 1.14.100 50 200	858,98 1.16.100 20 120	1.300,8 1.19.100 20 80	1.816,2 1.22.100 20 80	2.454,4 1.25.100 10 40
4.1/2"			225,8 1.8.110 100 400	314,18 1.9.110 50 400	441,74 1.11.110 50 200	598,87 1.12.110 50 200	765,72 1.14.110 50 200	957,23 1.16.110 20 120	1.448,1 1.19.110 20 80	1.963,5 1.22.110 10 60	2.650,7 1.25.110 10 40
5"			245,4 1.8.125 100 400	353,46 1.9.125 50 300	481,02 1.11.125 50 200	657,75 1.12.125 50 200	844,28 1.14.125 25 150	1.055,4 1.16.125 20 120	1.570,8 1.19.125 20 80	2.208,9 1.22.125 10 60	2.945,2 1.25.125 10 40
5.1/2"			265,10 1.8.140 100 400	392,66 1.9.140 50 300	530,10 1.11.140 50 200	726,52 1.12.140 50 200	903,16 1.14.140 25 150	1.153,6 1.16.140 20 120	1.718,1 1.19.140 20 80	2.405,3 1.22.140 10 60	3.141,6 1.25.140 10 40
6"			289,59 1.8.155 100 400	422,14 1.9.155 50 200	569,39 1.11.155 50 200	785,40 1.12.155 50 200	1.001,4 1.14.155 25 100	1.227,1 1.16.155 20 120	1.865,3 1.19.155 20 80	2.601,6 1.22.155 10 40	3.436,1 1.25.155 10 40
7"						903,16 1.12.175 25 100		1.423,6 1.16.175 20 80	2.110,7 1.19.175 10 60	2.945,2 1.22.175 10 40	3.926,9 1.25.175 10 40
8"						1.021,0 1.12.200 25 100		1.595,3 1.16.200 20 80	2.405,3 1.19.200 10 40	3.288,9 1.22.200 10 40	4.417,8 1.25.200 5 20
9"								1.767,1 1.16.225 20 80	2.589,4 1.19.225 10 40	3.709,0 1.22.225 10 40	4.908,7 1.25.225 5 20
10"								1.992,9 1.16.250 20 60	2.933,5 1.19.250 10 40	4.069,3 1.22.250 10 30	5.316,6 1.25.250 5 20


BULON C. REDONDA C/CUADRADO GRADO 2 UNC PULIDO

DIÁMETRO Hilos por pulgada	3/16" 24 - Nº10	1/4" 20 - UNC	5/16" 18 - UNC	3/8" 16 - UNC	7/16" 14 - UNC	1/2" BSW 12 - BSW	5/8" 11 - UNC
3/4"	26,045 2.5.19 2A 500	32,681 2.6.19 2A 500	53,086 2.8.19 2A 200				
1"	29,446 2.5.25 2A 500	34,008 2.6.25 2A 500	67,601 2.8.25 2A 200	88,421 2.9.25 2A 100			
1.1/4"	34,754 2.5.32 2A 500	41,556 2.6.32 2A 500	67,186 2.8.32 2A 200	106,09 2.9.32 2A 100			
1.1/2"	39,814 2.5.38 2A 500	51,758 2.6.38 2A 200	75,564 2.8.38 2A 200	119,36 2.9.38 2A 100	173,27 2.11.38 2A 100	225,95 2.12.38 2A 50	
1.3/4"	42,717 2.5.44 2A 500	50,846 2.6.44 2A 200	86,181 2.8.44 2A 200	134,37 2.9.44 2A 100		246,68 2.12.44 2A 50	
2"	52,090 2.5.50 2A 500	57,482 2.6.50 2A 200	95,06 2.8.50 2A 200	150,30 2.9.50 2A 100	206,45 2.11.50 2A 100	264,35 2.12.50 2A 50	446,50 2.16.50 2A 20
2.1/4"		62,376 2.6.56 2A 200	101,69 2.8.56 2A 200	148,14 2.9.56 2A 100		297,11 2.12.56 2A 50	480,59 2.16.56 2A 20
2.1/2"		66,357 2.6.63 2A 200	112,72 2.8.63 2A 200	167,97 2.9.63 2A 100	238,30 2.11.63 2A 50	317,44 2.12.63 2A 50	530,52 2.16.63 2A 20
2.3/4"		72,495 2.6.70 2A 200	119,36 2.8.70 2A 100	176,43 2.9.70 2A 100		335,10 2.12.70 2A 50	570,34 2.16.70 2A 20
3"		75,149 2.6.76 2A 200	128,23 2.8.76 2A 100	190,11 2.9.76 2A 100	270,16 2.11.76 2A 50	352,77 2.12.76 2A 50	605,67 2.16.76 2A 20
3.1/4"		80,458 2.6.82 2A 200	137,03 2.8.82 2A 100	206,04 2.9.82 2A 100		352,77 2.12.82 2A 50	643,25 2.16.82 2A 20
3.1/2"		86,679 2.6.90 2A 100	141,51 2.8.90 2A 100	212,18 2.9.90 2A 100	297,94 2.11.90 2A 50	405,86 2.12.90 2A 50	649,88 2.16.90 2A 20
4"		97,30 2.6.100 2A 100	159,17 2.8.100 2A 100	237,89 2.9.100 2A 50	337,76 2.11.100 2A 50	455,79 2.12.100 2A 50	729,51 2.16.100 2A 20
4.1/2"		106,09 2.6.110 2A 100	176,84 2.8.110 2A 100	261,7 2.9.110 2A 50	372,26 2.11.110 2A 50	485,40 2.12.110 2A 25	800,18 2.16.110 2A 20
5"		117,12 2.6.125 2A 100	194,51 2.8.125 2A 100	287,82 2.9.125 2A 50	397,48 2.11.125 2A 50	530,52 2.12.125 2A 25	870,93 2.16.125 2A 20
5.1/2"			209,11 2.8.140 2A 100	307,73 2.9.140 2A 50	447,00 2.11.140 2A 50	578,30 2.12.140 2A 25	943 2.16.140 2A 20
6"			225,45 2.8.155 2A 100	335,10 2.9.155 2A 50	482,33 2.11.155 2A 50	624,25 2.12.155 2A 25	1.013 2.16.155 2A 20
7"			252,41 2.8.175 2A 50	379,31 2.9.175 2A 50		706,45 2.12.175 2A 25	1.136 2.16.175 2A 10
8"			287,82 2.8.200 2A 50	423,52 2.9.200 2A 50		795,79 2.12.200 2A 25	1.313 2.16.200 2A 10
9"			323,66 2.8.225 2A 50	481,92 2.9.225 2A 25		877,99 2.12.225 2A 25	1.428 2.16.225 2A 10
10"			359,90 2.8.250 2A 50	530,52 2.9.250 2A 50		970 2.12.250 2A 20	1.570 2.16.250 2A 20
11"				579 2.9.275 2A 50		1.056 2.12.275 2A 20	2.567 2.16.275 2A 20
12"				623 2.9.300 2A 50		1.144 2.12.300 2A 25	2.767 2.16.300 2A 25