


**PRISIONERO ALLEN C/CILINDRICA METRICO G12,9**
**HOJA 9A**

| DIAMETRO<br>Paso | M6<br>1,00                     | M8<br>1,25                     | M10<br>1,50                     | M12<br>1,75                     | M14<br>2,00                     | M16<br>2,00                     | M18<br>2,50                    | M20<br>2,50                    | M22<br>2,50                    | M24<br>3,00                    |
|------------------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|
| 10               |                                |                                |                                 |                                 |                                 |                                 |                                |                                |                                |                                |
| 12               | 40,61<br>92.6.12<br>500 6.000  | 81,01<br>92.8.12<br>200 2.400  |                                 |                                 |                                 |                                 |                                |                                |                                |                                |
| 15               | 44,63<br>92.6.15<br>500 4.000  | 88,02<br>92.8.15<br>200 2.400  | 152,75<br>92.10.15<br>200 1.600 |                                 |                                 |                                 |                                |                                |                                |                                |
| 20               | 52,05<br>92.6.20<br>500 4.000  | 96,89<br>92.8.20<br>200 1.600  | 166,25<br>92.10.20<br>200 1.200 | 244,38<br>92.12.20<br>200 800   |                                 |                                 |                                |                                |                                |                                |
| 25               | 58,96<br>92.6.25<br>500 4.000  | 109,46<br>92.8.25<br>200 1.600 | 186,35<br>92.10.25<br>200 1.200 | 273,24<br>92.12.25<br>100 800   | 395,69<br>92.14.25<br>100 400   | 564,21<br>92.16.25<br>50 400    |                                |                                |                                |                                |
| 30               | 66,07<br>92.6.30<br>200 2.400  | 121,21<br>92.8.30<br>200 1.600 | 204,39<br>92.10.30<br>100 800   | 295,30<br>92.12.30<br>100 600   | 432,59<br>92.14.30<br>100 400   | 613,89<br>92.16.30<br>50 300    |                                |                                |                                |                                |
| 35               | 76,38<br>92.6.35<br>200 1.600  | 133,17<br>92.8.35<br>200 1.600 | 223,46<br>92.10.35<br>100 800   | 325,50<br>92.12.35<br>100 600   | 469,49<br>92.14.35<br>100 400   | 663,57<br>92.16.35<br>50 300    |                                |                                |                                |                                |
| 40               | 84,93<br>92.6.40<br>200 1.600  | 151,41<br>92.8.40<br>200 1.200 | 242,22<br>92.10.40<br>100 800   | 348,28<br>92.12.40<br>100 600   | 503,71<br>92.14.40<br>100 400   | 713,25<br>92.16.40<br>50 300    | 849,61<br>92.18.40<br>50 200   | 1.214,38<br>92.20.40<br>50 200 |                                |                                |
| 45               | 94,31<br>92.6.45<br>200 1.600  | 165,84<br>92.8.45<br>200 1.200 | 269,84<br>92.10.45<br>100 600   | 379,61<br>92.12.45<br>100 400   | 543,39<br>92.14.45<br>50 300    | 762,93<br>92.16.45<br>50 300    | 939,60<br>92.18.45<br>50 200   | 1.303,44<br>92.20.45<br>20 120 |                                |                                |
| 50               | 101,52<br>92.6.50<br>200 1.600 | 180,17<br>92.8.50<br>200 800   | 288,60<br>92.10.50<br>100 600   | 406,72<br>92.12.50<br>100 400   | 580,50<br>92.14.50<br>50 300    | 811,37<br>92.16.50<br>50 200    | 1.029,47<br>92.18.50<br>50 200 | 1.392,49<br>92.20.50<br>20 120 | 1.806,42<br>92.22.50<br>20 120 | 2.428,77<br>92.24.50<br>20 80  |
| 55               | 112,35<br>92.6.55<br>200 1.600 | 190,58<br>92.8.55<br>100 600   | 315,19<br>92.10.55<br>100 600   | 450,83<br>92.12.55<br>100 400   | 639,14<br>92.14.55<br>50 300    | 862,29<br>92.16.55<br>50 200    | 1.119,45<br>92.18.55<br>50 200 | 1.481,54<br>92.20.55<br>20 120 |                                | 2.558,33<br>92.24.55<br>20 80  |
| 60               | 121,31<br>92.6.60<br>200 1.200 | 208,92<br>92.8.60<br>100 600   | 337,87<br>92.10.60<br>100 400   | 487,22<br>92.12.60<br>50 300    | 684,80<br>92.14.60<br>50 300    | 911,97<br>92.16.60<br>50 200    | 1.209,44<br>92.18.60<br>20 160 | 1.570,60<br>92.20.60<br>20 120 | 2.005,45<br>92.22.60<br>20 120 | 2.671,70<br>92.24.60<br>20 80  |
| 70               | 139,35<br>92.6.70<br>100 800   | 232,73<br>92.8.70<br>100 600   | 377,96<br>92.10.70<br>100 400   | 543,49<br>92.12.70<br>50 300    | 768,09<br>92.14.70<br>50 200    | 1.048,64<br>92.16.70<br>50 200  | 1.389,29<br>92.18.70<br>20 120 | 1.821,57<br>92.20.70<br>20 120 | 2.204,48<br>92.22.70<br>20 120 | 2.938,86<br>92.24.70<br>20 80  |
| 80               |                                | 260,98<br>92.8.80<br>100 600   | 428,67<br>92.10.80<br>100 400   | 621,00<br>92.12.80<br>50 300    | 867,45<br>92.14.80<br>50 200    | 1.178,82<br>92.16.80<br>20 160  | 1.569,15<br>92.18.80<br>20 120 | 2.002,98<br>92.20.80<br>20 80  | 2.403,51<br>92.22.80<br>20 80  | 3.230,35<br>92.24.80<br>10 60  |
| 90               |                                | 289,22<br>92.8.90<br>100 600   | 477,63<br>92.10.90<br>100 400   | 672,54<br>92.12.90<br>50 200    | 958,66<br>92.14.90<br>50 200    | 1.297,66<br>92.16.90<br>20 120  | 1.749,01<br>92.18.90<br>20 120 | 2.202,11<br>92.20.90<br>20 80  | 2.602,54<br>92.22.90<br>20 80  | 3.521,73<br>92.24.90<br>10 60  |
| 100              |                                | 317,36<br>92.8.100<br>100 400  | 519,48<br>92.10.100<br>50 200   | 754,79<br>92.12.100<br>50 200   | 1.049,98<br>92.14.100<br>50 200 | 1.417,12<br>92.16.100<br>20 120 | 1.928,87<br>92.18.100<br>20 80 | 2.355,89<br>92.20.100<br>20 80 | 2.801,47<br>92.22.100<br>20 80 | 3.813,21<br>92.24.100<br>10 60 |
| 110              |                                | 339,93<br>92.8.110<br>100 400  | 554,52<br>92.10.110<br>50 200   | 821,68<br>92.12.110<br>50 200   | 1.141,31<br>92.14.110<br>20 160 | 1.536,58<br>92.16.110<br>20 120 | 2.108,83<br>92.18.110<br>20 80 | 2.558,33<br>92.20.110<br>20 80 | 3.000,50<br>92.22.110<br>20 80 | 4.104,70<br>92.24.110<br>10 60 |
| 120              |                                | 368,38<br>92.8.120<br>100 400  | 599,56<br>92.10.120<br>50 200   | 887,96<br>92.12.120<br>50 200   | 1.232,63<br>92.14.120<br>20 160 | 1.656,04<br>92.16.120<br>20 120 | 2.288,69<br>92.18.120<br>20 80 | 2.760,76<br>92.20.120<br>20 80 | 3.199,53<br>92.22.120<br>20 80 | 4.396,08<br>92.24.120<br>10 60 |
| 130              |                                |                                | 644,61<br>92.10.130<br>50 200   | 934,96<br>92.12.130<br>50 200   | 1.296,63<br>92.14.130<br>20 160 | 1.775,50<br>92.16.130<br>20 120 | 2.468,55<br>92.18.130<br>20 80 | 2.963,09<br>92.20.130<br>20 80 | 3.398,56<br>92.22.130<br>20 80 | 4.687,57<br>92.24.130<br>10 50 |
| 140              |                                |                                | 689,54<br>92.10.140<br>50 200   | 1.000,20<br>92.12.140<br>50 200 | 1.385,89<br>92.14.140<br>20 120 | 1.894,96<br>92.16.140<br>20 80  | 2.648,41<br>92.18.140<br>20 80 | 3.165,52<br>92.20.140<br>20 80 | 3.597,59<br>92.22.140<br>20 80 | 4.979,05<br>92.24.140<br>10 50 |
| 150              |                                |                                | 733,87<br>92.10.150<br>50 200   | 1.064,72<br>92.12.150<br>50 200 | 1.474,43<br>92.14.150<br>20 120 | 2.014,42<br>92.16.150<br>20 80  | 2.828,27<br>92.18.150<br>20 80 | 3.367,95<br>92.20.150<br>20 80 | 3.796,62<br>92.22.150<br>20 80 | 5.270,54<br>92.24.150<br>10 40 |

**PRISIONERO ALLEN C/FREZADA METRICO G12,9**

**Hoja 9B**

| DIAMETRO<br>Paso | M5<br>0,80                     | M6<br>1,00                     | M8<br>1,25                      | M10<br>1,50                      | M12<br>1,75                    |
|------------------|--------------------------------|--------------------------------|---------------------------------|----------------------------------|--------------------------------|
| 10               | 19,171<br>95.5.10<br>500 6.000 | 20,099<br>95.6.10<br>200 6.000 |                                 |                                  |                                |
| 12               | 21,439<br>95.5.12<br>500 6.000 | 23,500<br>95.6.12<br>500 6.000 | 45,970<br>95.8.12<br>200 2.400  |                                  |                                |
| 15               | 27,005<br>95.5.15<br>500 6.000 | 29,375<br>95.6.15<br>500 4.000 | 55,864<br>95.8.15<br>200 2.400  | 94,104<br>95.10.15<br>200 1.600  |                                |
| 20               | 33,807<br>95.5.20<br>500 6.000 | 35,250<br>95.6.20<br>500 4.000 | 65,862<br>95.8.20<br>200 1.600  | 109,461<br>95.10.20<br>200 1.200 | 156,874<br>95.12.20<br>200 800 |
| 25               | 40,507<br>95.5.25<br>500 4.000 | 41,950<br>95.6.25<br>500 4.000 | 77,303<br>95.8.25<br>200 1.600  | 128,633<br>95.10.25<br>200 1.200 | 184,497<br>95.12.25<br>100 800 |
| 30               | 47,310<br>95.5.30<br>500 4.000 | 49,474<br>95.6.30<br>200 2.400 | 89,569<br>95.8.30<br>200 1.600  | 147,701<br>95.10.30<br>100 800   | 211,192<br>95.12.30<br>100 600 |
| 35               | 56,277<br>95.5.35<br>500 4.000 | 56,174<br>95.6.35<br>200 1.600 | 101,834<br>95.8.35<br>200 1.600 | 166,872<br>95.10.35<br>100 800   | 237,991<br>95.12.35<br>100 600 |
| 40               | 64,213<br>95.5.40<br>200 3.000 | 68,748<br>95.6.40<br>200 1.600 | 113,997<br>95.8.40<br>200 1.200 | 185,940<br>95.10.40<br>100 800   | 265,614<br>95.12.40<br>100 600 |
| 45               |                                | 78,025<br>95.6.45<br>200 1.600 | 133,168<br>95.8.45<br>200 1.200 | 212,017<br>95.10.45<br>100 600   | 292,412<br>95.12.45<br>100 400 |
| 50               |                                | 87,301<br>95.6.50<br>200 1.600 | 147,701<br>95.8.50<br>200 800   | 235,002<br>95.10.50<br>100 600   | 330,652<br>95.12.50<br>100 400 |
| 60               |                                |                                | 176,767<br>95.8.60<br>100 600   | 280,868<br>95.10.60<br>100 400   | 397,236<br>95.12.60<br>50 300  |
| 70               |                                |                                |                                 | 326,838<br>95.10.70<br>100 400   | 462,995<br>95.12.70<br>50 300  |

**ALLEN FRESADO PULGADAS G.12,9 5/16 x 1" 90°**

|         |                                  |
|---------|----------------------------------|
| 5/16x1" | 88,126<br>94.8.25.90<br>0 10.000 |
|---------|----------------------------------|

**BULON METRICO CON FLANGE G10,9 -NEGRO (OX)**

| MEDIDA<br>PASO |        | M8<br>1,25 - MA            | M10<br>1,50 - MA            | M12<br>1,75 - MA            |
|----------------|--------|----------------------------|-----------------------------|-----------------------------|
| Cabeza         | Llave  | 13                         | 15                          | 16                          |
|                | Altura | 8,10                       | 9,20                        | 11,50                       |
| Largo de rosca |        | 18,00                      | 22,30                       | 26,60                       |
| Largo          |        |                            |                             |                             |
| 20             |        | 137,366<br>326.8.20<br>200 | 222,335<br>326.10.20<br>200 |                             |
| 25             |        | 150,213<br>326.8.25<br>200 | 242,970<br>326.10.25<br>200 |                             |
| 30             |        | 164,880<br>326.8.30<br>200 | 263,606<br>326.10.30<br>200 | 396,622<br>326.12.30<br>100 |
| 40             |        | 201,700<br>326.8.40<br>200 | 315,902<br>326.10.40<br>200 | 471,274<br>326.12.40<br>100 |
| 50             |        | 238,621<br>326.8.50<br>200 | 365,771<br>326.10.50<br>100 | 543,396<br>326.12.50<br>100 |




**PRISIONERO ALLEN C/CILINDRICA PULG. G12,9**

| DIAMETRO<br>Hilos | 3/16"<br>24 - UNC              | 1/4"<br>20 - UNC                | 5/16"<br>18 - UNC               | 3/8"<br>16 - UNC                | 1/2"<br>12 - WHT               | 5/8"<br>11 - UNC                 | 3/4"<br>11 - UNC                |
|-------------------|--------------------------------|---------------------------------|---------------------------------|---------------------------------|--------------------------------|----------------------------------|---------------------------------|
| 1/2"              | 31,746<br>90.5.12<br>500 6.000 | 42,878<br>90.6.12<br>500 4.000  | 75,242<br>90.8.12<br>500 3.000  | 120,593<br>90.9.12<br>200 1.600 |                                |                                  |                                 |
| 5/8"              | 36,796<br>90.5.16<br>500 6.000 | 47,722<br>90.6.16<br>500 4.000  | 83,384<br>90.8.16<br>500 2.500  | 131,931<br>90.9.16<br>200 1.600 |                                |                                  |                                 |
| 3/4"              | 41,022<br>90.5.19<br>500 6.000 | 52,669<br>90.6.19<br>500 4.000  | 91,527<br>90.8.19<br>200 2.400  | 140,898<br>90.9.19<br>200 1.600 | 312,511<br>90.12.19<br>200 800 |                                  |                                 |
| 7/8"              | 43,702<br>90.5.22<br>500 6.000 | 57,514<br>90.6.22<br>500 4.000  | 99,567<br>90.8.22<br>200 2.400  | 154,607<br>90.9.22<br>200 1.600 | 318,180<br>90.12.22<br>200 800 |                                  |                                 |
| 1"                | 50,299<br>90.5.25<br>500 4.000 | 62,358<br>90.6.25<br>500 3.000  | 107,709<br>90.8.25<br>200 1.600 | 161,100<br>90.9.25<br>200 1.200 | 353,843<br>90.12.25<br>100 800 | 585,340<br>90.16.25<br>100 400   |                                 |
| 1.1/4"            | 56,998<br>90.5.32<br>500 4.000 | 72,047<br>90.6.32<br>200 2.400  | 123,067<br>90.8.32<br>200 1.600 | 189,444<br>90.9.32<br>200 1.200 | 395,071<br>90.12.32<br>100 500 | 655,738<br>90.16.32<br>100 400   |                                 |
| 1.1/2"            | 67,615<br>90.5.38<br>500 4.000 | 86,580<br>90.6.38<br>200 1.600  | 138,424<br>90.8.38<br>200 1.600 | 210,471<br>90.9.38<br>200 1.000 | 436,403<br>90.12.38<br>100 500 | 726,238<br>90.16.38<br>50 300    | 1.096,985<br>90.19.38<br>#N/A   |
| 1.3/4"            | 75,551<br>90.5.44<br>200 2.400 | 96,371<br>90.6.44<br>200 1.600  | 162,749<br>90.8.44<br>200 1.200 | 244,484<br>90.9.44<br>200 800   | 477,631<br>90.12.44<br>100 500 | 796,636<br>90.16.44<br>50 250    | 1.199,850<br>90.19.44<br>#N/A   |
| 2"                | 84,827<br>90.5.50<br>200 2.400 | 111,729<br>90.6.50<br>200 1.600 | 178,931<br>90.8.50<br>200 1.200 | 267,985<br>90.9.50<br>200 800   | 518,962<br>90.12.50<br>100 400 | 866,312<br>90.16.50<br>50 250    | 1.301,065<br>90.19.50<br>20 160 |
| 2.1/4"            |                                | 121,418<br>90.6.56<br>200 1.200 | 202,431<br>90.8.56<br>200 800   | 300,349<br>90.9.56<br>100 600   | 583,691<br>90.12.56<br>50 300  | 936,709<br>90.16.56<br>50 200    | 1.402,178<br>90.19.56<br>20 120 |
| 2.1/2"            |                                | 136,775<br>90.6.63<br>100 1.200 | 218,614<br>90.8.63<br>100 800   | 323,849<br>90.9.63<br>100 600   | 625,847<br>90.12.63<br>50 300  | 986,080<br>90.16.63<br>50 200    | 1.585,953<br>90.19.63<br>20 120 |
| 2.3/4"            |                                | 146,567<br>90.6.70<br>100 800   | 241,289<br>90.8.70<br>100 600   | 356,213<br>90.9.70<br>100 400   | 667,900<br>90.12.70<br>50 300  | 1.050,087<br>90.16.70<br>50 200  | 1.606,258<br>90.19.70<br>20 120 |
| 3"                |                                | 161,100<br>90.6.76<br>100 800   | 257,471<br>90.8.76<br>100 600   | 380,538<br>90.9.76<br>100 400   | 735,102<br>90.12.76<br>50 200  | 1.115,641<br>90.16.76<br>20 160  | 1.684,799<br>90.19.76<br>20 120 |
| 4"                |                                |                                 | 338,382<br>90.8.100<br>100 400  | 493,092<br>90.9.100<br>100 400  | 931,040<br>90.12.100<br>50 200 | 1.450,827<br>90.16.100<br>20 120 | 2.133,260<br>90.19.100<br>20 80 |
| 4.1/2"            |                                |                                 |                                 |                                 |                                | 1.580,388<br>90.16.110<br>20 120 | 2.324,354<br>90.19.110<br>20 80 |
| 5"                |                                |                                 |                                 |                                 |                                | 1.747,878<br>90.16.125<br>20 120 | 2.580,176<br>90.19.125<br>20 80 |


**BULON EXAG. GRADO 8 UNC NEGRO DE TEMPLE (OX)**

| DIAMETRO |        | 1/4"                             | 5/16"                            | 3/8"                             | 1/2"                              | 5/8"                              | 3/4"                             | 7/8"                             | 1"                               |
|----------|--------|----------------------------------|----------------------------------|----------------------------------|-----------------------------------|-----------------------------------|----------------------------------|----------------------------------|----------------------------------|
| Hilos    |        | 20 - UNC                         | 18 - UNC                         | 16 - UNC                         | 13 - UNC                          | 11 - UNC                          | 10 - UNC                         | 9 - UNC                          | 8 - UNC                          |
| Cab      | Llave  | 7/16"                            | 1/2"                             | 9/16"                            | 3/4"                              | 15/16"                            | 1.1/8"                           | 1.5/16"                          | 1.1/2"                           |
|          | Altura | 4,14                             | 5,36                             | 6,17                             | 8,20                              | 10,24                             | 12,27                            | 14,30                            | 15,93                            |
| LARGO    |        |                                  |                                  |                                  |                                   |                                   |                                  |                                  |                                  |
| 1"       |        | 50,627<br>315.6.25<br>500 3.000  | 82,179<br>315.8.25<br>200 1.600  | 126,659<br>315.9.25<br>200 1.200 | 283,432<br>315.12.25<br>100 800   |                                   |                                  |                                  |                                  |
| 1.1/4"   |        | 58,221<br>315.6.32<br>200 2.400  | 95,830<br>315.8.32<br>200 1.600  | 143,836<br>315.9.32<br>200 1.200 | 321,769<br>315.12.32<br>100 500   |                                   |                                  |                                  |                                  |
| 1.1/2"   |        | 68,437<br>315.6.38<br>200 1.600  | 109,572<br>315.8.38<br>200 1.600 | 164,358<br>315.9.38<br>200 1.000 | 352,418<br>315.12.38<br>100 500   | 628,264<br>315.16.38<br>50 300    | 992,214<br>315.19.38<br>50 200   |                                  |                                  |
| 1.3/4"   |        | 75,308<br>315.6.44<br>200 1.600  | 123,223<br>315.8.44<br>200 1.200 | 184,880<br>315.9.44<br>200 800   | 398,443<br>315.12.44<br>100 500   | 689,563<br>315.16.44<br>50 250    | 1.057,255<br>315.19.44<br>50 200 |                                  |                                  |
| 2"       |        | 84,258<br>315.6.50<br>200 1.600  | 133,529<br>315.8.50<br>200 1.200 | 201,967<br>315.9.50<br>200 800   | 436,679<br>315.12.50<br>100 400   | 766,136<br>315.16.50<br>50 250    | 1.149,204<br>315.19.50<br>20 160 | 1.685,519<br>315.22.50<br>20 120 | 2.336,745<br>315.25.50<br>20 80  |
| 2.1/4"   |        |                                  |                                  |                                  |                                   | 842,810<br>315.16.56<br>50 200    | 1.302,451<br>315.19.56<br>20 120 |                                  |                                  |
| 2.1/2"   |        | 113,007<br>315.6.63<br>200 1.200 | 184,880<br>315.8.63<br>100 800   | 260,188<br>315.9.63<br>100 600   | 566,965<br>315.12.63<br>50 300    | 919,383<br>315.16.63<br>50 200    | 1.379,125<br>315.19.63<br>20 120 | 1.953,677<br>315.22.63<br>20 80  | 2.719,914<br>315.25.63<br>20 80  |
| 2.3/4"   |        |                                  |                                  |                                  |                                   | 980,682<br>315.16.70<br>50 200    | 1.494,036<br>315.19.70<br>20 120 |                                  |                                  |
| 3"       |        | 130,094<br>315.6.76<br>100 800   | 212,273<br>315.8.76<br>100 600   | 314,974<br>315.9.76<br>100 400   | 643,538<br>315.12.76<br>50 200    | 1.072,631<br>315.16.76<br>20 160  | 1.608,946<br>315.19.76<br>20 120 | 2.298,509<br>315.22.76<br>20 80  | 3.064,645<br>315.25.76<br>10 60  |
| 3.1/2"   |        |                                  | 243,734<br>315.8.90<br>100 400   | 390,756<br>315.9.90<br>100 400   | 750,862<br>315.12.90<br>50 200    | 1.187,541<br>315.16.90<br>20 160  | 1.838,767<br>315.19.90<br>20 80  | 2.528,329<br>315.22.90<br>20 80  | 3.447,712<br>315.25.90<br>10 40  |
| 4"       |        | 178,009<br>315.6.100<br>100 600  | 280,710<br>315.8.100<br>100 400  | 452,055<br>315.9.100<br>100 400  | 850,397<br>315.12.100<br>50 200   | 1.379,125<br>315.16.100<br>20 120 | 2.030,351<br>315.19.100<br>20 80 | 2.873,060<br>315.22.100<br>20 80 | 3.830,780<br>315.25.100<br>10 40 |
| 4.1/2"   |        |                                  |                                  | 505,666<br>315.9.110<br>50 400   | 934,759<br>315.12.110<br>50 200   | 1.494,036<br>315.16.110<br>20 120 | 2.260,172<br>315.19.110<br>20 80 | 3.141,218<br>315.22.110<br>10 60 | 4.213,848<br>315.25.110<br>10 40 |
| 5"       |        |                                  |                                  | 551,589<br>315.9.125<br>50 300   | 1.041,981<br>315.12.125<br>50 200 | 1.647,283<br>315.16.125<br>20 120 | 2.489,992<br>315.19.125<br>20 80 | 3.447,712<br>315.22.125<br>10 60 | 4.520,343<br>315.25.125<br>10 40 |
| 6"       |        |                                  |                                  |                                  |                                   |                                   | 2.873,060<br>315.19.155<br>20 80 |                                  | 5.286,479<br>315.25.155<br>10 40 |
| 7"       |        |                                  |                                  |                                  |                                   |                                   | 3.294,465<br>315.19.175<br>10 60 |                                  |                                  |